

Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network - Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl





AB 164

TEST REPORT NO. BL-ME 553.1 / 2024 / B / A

- 1. Test ordered by: X "TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice
- 2. Name and description of tested material: the sample: X The upholstery product AGNES, declared raw material composition: 100% Polyester.
- 3. Date of receiving material for testing: 2024-08-23
- 4. Date of test performance: 2024-09-06
- 5. Samples taken by: x correct sample size in appropriate state for testing, taken by the Client and delivered with/without the Sampling Protocol
- 6. Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see: page 2/2

Test performed by: Elżbieta Olczak

- 1. Test results refer only to the tested material.
- 2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.
- 3. Test Report presents test results included within accreditation field of testing.
- 4. Test results not included in accreditation scope, if occur, are marked with* in the test results table, at the parameter
- 6. Measurement uncertainty, if it is specified, has been determined according to the recommendations presented document ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence and coverage factor k = 2.

 7. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of the specification takes place, when the test results together in specification. The 7. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of test result with requirements, specification takes place, when the test results together with expanded uncertainty does not exceed the tolerance limit given in specification. The conformity statemen's rules given by Client could be allowed.

 Test Report date: 2024-09-13

 Number of T

Number of Test Report 's copies: 2

Test Report handed to:

- 1) "TOPTEXTIL" Sp. z o.o., Wadowice 1 copy,
- 2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) 1 copy.

Test Report prepared by:

Patrycja Bąk

Person authorizing the Test Report:

LABORATORIUM METROLOGY VŁÓKIENNICZEJ I ELEKTROST Z-CA KIER WNIKA

mgr inż. Jerzy Andrysiak

Page 1 of 2

Form 7.8.1 Issue 2 X- information delivered by Client

Włókiennicze

.6dzki

TEST REPORT NO. BL-ME 553.1 / 2024 / B / A

Parameter		Value	Test method
The mean of	longitudinal direction	3500 ± 100	PN-EN ISO 13934-1:2013-07 climate for conditioning sample and testing according
maximum force, N	cross direction	1000 ± 0	to PN-EN ISO 139:2006 + A1:2012, temp. 20° C ± °C, R.H. 65% ± 4%, tensile machine: Hounsfield H5KS, rate of extension: 100 mm/min., pretension: 5N,
The mean of elongation at maximum force, %	longitudinal direction	32,0 ± 2,0	
	cross direction	17,5 ± 1,5	distance between clamps: 200 mm, number of test specimens: 5 in each direction.

Evaluation: according to PN-EN 14465:2005 + A1:2007:

A category: > 600 N, B category: ≥ 400 N, C category: ≥ 350 N, D category: ≥ 250 N

LABORATOR AUTHORIZING THE Test Report
I ELEKTROSTATYKI
Z-CA KIEROWNIKA

mgr inz. Jerzy Andrysiak

_____ The end of Test Report _____





Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network - Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl





AB 164

TEST REPORT NO. BL-ME 553.2 / 2024 / B / A

- 1. Test ordered by: X "TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice
- 2. Name and description of tested material: the sample: X The upholstery product AGNES, declared raw material composition: 100% Polyester.
- 3. Date of receiving material for testing: 2024-08-23
- 4. Date of test performance: 2024-09-05
- 5. Samples taken by: x correct sample size in appropriate state for testing, taken by the Client and delivered with/without the Sampling Protocol
- 6. Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see: page 2/2

Test performed by: Elżbieta Olczak

- 1. Test results refer only to the tested material.
- 2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.
- 3. Test Report presents test results included within accreditation field of testing.
- 4. Test results not included in accreditation scope, if occur, are marked with* in the test results table, at the parame er name.

- o. measurement uncertainty, if it is specified, has been determined according to the recommendations presented document ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence and coverage factor k = 2.

 7. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of the specification takes place, when the test results to said in specification. dawcz in specification. The conformity statemen's rules given by Client could be allowed.

Test Report date: 2024-09-13 Number of Test Report 's copies: 2

Test Report handed to:

- 1) "TOPTEXTIL" Sp. z o.o., Wadowice 1 copy,
- 2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) 1 copy.

Test Report prepared by:

Patrycja Bąk

Person authorizing the Test Report:

Bal 1001

LABORATORIUM METROLOGI WŁÓKIENNICZEJ I ELEKTRO WNIKA Z-CA KIER

mgr inż. Jerfy Andrysiak

Page 1 of 2

Form 7.8.1 Issue 2 X- information delivered by Client

TEST REPORT NO. BL-ME 553.2 / 2024 / B / A

Para	meter	Value	Test method
Overall value avarage tear force, N	longitudinal direction	The incorrect tearing - tearing was not at right angles to the direction of the force. This method is not suitable for this product.	PN-EN ISO 13937-3:2002 (single tear method) climate for conditioning sample and testing according to PN-EN ISO 139:2006 + A1:2012, temp. 20° C ± 2 °C, R.H. 65% ± 4%,
	cross direction	220 ± 10	tensile machine: Zwick 1120, rate of extension: 100 mm/min., distance between clamps: 100 mm, method of calculating average values: electronic; number of test specimens: 5 in each direction.

<u>Evaluation:</u> according to PN-EN 14465:2005 + A1:2007: **A category:** \geq **40 N,** B category: \geq 30 N,

C category: ≥ 25 N, D category: ≥ 20 N, E category: ≥ 15 N

Person authorizing the Test Report

LABORATORIUM METROLOGII WŁÓKIENNICZEJ
I ELEKTROSTATYKI
Z-CA KIEROWNIKA

mgr inż. Jerzy Andrysiak

_____ The end of Test Report _____



Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network – Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl





AB 164

TEST REPORT NO. BL-ME 553.3 / 2024 / B / A

- 1. Test ordered by: X "TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice
- 2. Name and description of tested material: the sample: * The upholstery product AGNES, declared raw material composition: 100% Polyester.
- 3. Date of receiving material for testing: 2024-08-23
- 4. Date of test performance: 2024-09-03÷06
- 5. Samples taken by: x correct sample size in appropriate state for testing, taken by the Client and delivered with/without the Sampling Protocol
- 6. Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see: page 2/2

Test performed by: Elżbieta Olczak

- 1. Test results refer only to the tested material.
- 2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.
- 3. Test Report presents test results included within accreditation field of testing.
- 4. Test results not included in accreditation scope, if occur, are marked with* in the test results table, at the parameter
- 5. Test Report consists of test results carried out in location 90-520 Łódź, ul. Gdańska 118 (G) / 92-103 Łódź, ul. Brzezińska 5/15 (B).
- 6. Measurement uncertainty, if it is specified, has been determined according to the recommendations presented focument ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence and coverage factor k = 2.
- 7. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of test result with requirements specification takes place, when the test results together with expanded uncertainty does not exceed the tolerance in specification. The conformity statemen's rules given by Client could be allowed.

Test Report date: 2024-09-13
Number of Test Report 's copies: 2

Test Report handed to:

- 1) "TOPTEXTIL" Sp. z o.o., Wadowice 1 copy,
- 2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) 1 copy.

Test Report prepared by:

Patrycja Bąk

Person authorizing the Test Report:

LABORATORIUM METROLOGII WŁÓKIENNICZEJ
I ELEKTROSTATYKI
Z-CA KIĘROWNIKA

Jé Br dzki I

mgr inż. Herzy Andrysiak

TEST REPORT NO. BL-ME 553.3 / 2024 / B / A

Parameter		Value	Remarks
	color change after 3 000 rubs, grade of grey scale	3 - 4	PN-EN ISO 12947-2:2017-02 + PN-EN 14465:2005+A1:2007, Annex A
Abrasion resistance,	1 specimen	45 000	climate for conditioning sample and testing
number of rubs	2 specimen	45 000	according to PN-EN ISO 139:2006 + A1:2012, temp. 20° C ± 2 °C, R.H. 65% ± 4%, the abradant: the standard woolen fabric,
	3 specimen	45 000	the nominal pressure used in the test: 12 kPa, magnification factor in the magnifying
	4 specimen	45 000	device: 8. Criterion of <u>destruction of the testing specimens</u> in accordance with that standard:
	Total abrasion resistance (the lowest individual result)	45 000	shenille fabric – three threads are completely broken or when chenille pile is fully worn off (whatever comes first).

Evaluation: according to PN-EN 14465:2005 + A1:2007:

A category: number of rubs ≥ 35 000 rubs, B category: number of rubs: 12 000 ÷ 30 000,

C category: number of rubs: 4 000 ÷ 10 000

Z-CA KIEROWNIKA

mgr inž. Jerzy Andrysiak

The end of Test Report
The end of rest report



Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network - Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl





AB 164

TEST REPORT NO. BL-ME 553.4 / 2024 / B / A

- 1. Test ordered by: X "TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice
- 2. Name and description of tested material: the sample: X The upholstery product AGNES, declared raw material composition: 100% Polyester.
- 3. Date of receiving material for testing: 2024-08-23
- 4. Date of test performance: 2024-09-06
- 5. Samples taken by: x correct sample size in appropriate state for testing, taken by the Client and delivered with/without the Sampling Protocol
- Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see: page 2/2

Test performed by: Elżbieta Olczak

- 1. Test results refer only to the tested material.
- 2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.
- 3. Test Report presents test results included within accreditation field of testing.
- 4. Test results not included in accreditation scope, if occur, are marked with* in the test results table, at the parameter
- 5. Test Report consists of test results carried out in location 90-520 Łódź, ul. Gdańska 118 (G) /
- 92-103 Łódź, ul. Brzezińska 5/15 (B).
 6. Measurement uncertainty, if it is specified, has been determined according to the recommendations presented in document ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence developed for the second contract of the second con and coverage factor k = 2.
- 7. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of test result with requirements specification takes place, when the test results together with expanded uncertainty does not exceed the tolerance and given in specification. The conformity statemen's rules given by Client could be allowed.

Test Report date: 2024-09-13 Number of Test Report 's copies: 2

Test Report handed to:

- 1) "TOPTEXTIL" Sp. z o.o., Wadowice 1 copy,
- 2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) 1 copy.

Test Report prepared by:

Patrycja Bąk

Person authorizing the Test Report:

LABORATORIUM METROLOGI WŁÓKIENNICZEJ Z-CA KIE

Form 7.8.1 Issue 2 X- information delivered by Client

TEST REPORT NO. BL-ME 553.4 / 2024 / B / A

Parameter		Value	Test method
Propensity fuzzing, pill grade	to surface ling or matting,		PN-EN ISO 12945-2:2021-04 PN-EN ISO 12945-4:2021-04 (modified Martindale method)
- <u>pilling</u>	the number of rubs 125	5	climate for sample conditioning and testing according to PN-EN ISO 139:2006 + A1:2012, temp. 20° C ± 2 °C, R.H. 65% ± 4%, the abradant: the standard woolen fabric; number of test specimens: 3,
	500	4 – 5	number of evaluators: 3, mass of weight: (415 ± 2) g.
	1 000	4 – 5	- mass of weight. (113 = 27 g.
	2 000	4	
	5 000	4	
	7 000	4 partially formed pills	
- fuzzing	the number of		
	the number of rubs 125	5	
	500	5	
	1 000	5	
	2 000	5	
	5 000	5	
	7 000	5 no change	
- <u>matting</u>	the number of rubs	4 - 5	
	500	4 - 5	
	1 000	4	
	2 000	3 - 4	
	5 000	3 - 4	
	7 000	3 - 4 moderate surface matting	

Person authorizing the Test Report

LABORATORIUM METROŁOGII WŁÓKIENNICZEJ I ELEKTRÓSIJATYKI
Z-CA KIEROWNIKA
The end of Test Report mgr unz. Jerry And opens



Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network – Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl

TEST REPORT NO. BL-ME 553.5 / 2024 / B

1. Test ordered by: ",TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice

2. Name and description of tested material: * the sample: The upholstery product AGNES, declared raw material composition: 100% Polyester.

3. Date of receiving material for testing: 2024-08-23

4. Date of test performance: 2024-09-06

5. Samples taken by: X limited sample size in appropriate state for testing, taken by the Client and delivered without the Sampling Protocol

6. Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see page 2/2

Test performed by: Elżbieta Olczak

1. Test results refer only to the tested material.

2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.

3. Test Report consists of test results carried out in location 90-520 Łódź, ul. Gdańska 118 (G) / 92-103 Łódź, ul. B zezińska 5/15/B)

4. Measurement uncertainty, if it is specified, has been determined according to the recommendations presented in countries.

ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence level and countries factor k = 2.

5. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of test vesult with requirements/specification takes place, when the test results together with expanded uncertainty does not exceed the tolerance limit given in specification. The conformity statement's rules given by Client could be allowed.

Test Report date: 2024-09-13 Number of Test Report 's copies: 2

Test Report handed to:

1) "TOPTEXTIL" Sp. z o.o., Wadowice - 1 copy,

2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) - 1 copy.

Test Report prepared by:

Patrycja Bak

Person authorizing the Test Report

LABORATORIUM METROVOGII WŁÓKIENNICZEJ
I ELEKTROSTATYKI
Z-CA KIEROWNIKA

mgr inż. Jerzy Andrysiak

Form 7.8.2 Issue 2 X-information delivered by Client Page 1 of 2

Sieć Ba

TEST REPORT NO. BL-ME 553.5 / 2024 / B

Parameter	Value	Remarks
Seam slippage resistance, mm:		PN-EN ISO 13936-2:2005
Longitudinal direction		climate for conditioning sample and testing
The mean value of resistance to		according to PN-EN ISO 139:2006 + A1:2012 temp. 20° C ± 2 °C, RH: 65% ± 4% ,
perforation in the seam for		tensile tester: Hounsfield H50 KM,
longitudinal direction, mm	7 ± 1	testing force: 180 N, 100% PES sewing threads (74 ± 5) tex,
- individual results, mm	7,5; 6; 7; 6,5; 8	the number of sewing needle: 110, the number of stitch: 32±2/100 mm, rate of extension: 50 mm/min.
Cross direction		number of test specimens: 5
The mean value of resistance to		
perforation in the seam for cross		
direction, mm	7 ± 1	
- individual results, mm	6,5; 7; 6; 6; 7,5	

Evaluation according to PN-EN 14465:2005 + A1:2007:

requirements level: A category: ≤ 4 mm; B category: ≤ 6 mm; C category: ≤ 8 mm

Person authorizing the Test Report

LABORATORIUM METROLOGII WŁÓKIENNICZEJ I ELEKTROSTATYKI
Z-CA KIEROWNIKA
mgr inż. Je zy Andrysiak
The end of Test Report



Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network - Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl

TEST REPORT NO. BL-ME 553.6 / 2024 / B

- 1. Test ordered by: ",TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice
- 2. Name and description of tested material: * the sample: The upholstery product AGNES, declared raw material composition: 100% Polyester.
- 3. Date of receiving material for testing: 2024-08-23
- 4. Date of test performance: 2024-09-06
- 5. Samples taken by: Iimited sample size in appropriate state for testing, taken by the Client and delivered without the Sampling Protocol
- 6. Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see page 2/2

Test performed by: Elżbieta Olczak

1. Test results refer only to the tested material.

2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.

3. Test Report consists of test results carried out in location 90-520 Łódź, ul. Gdańska 118 (G) / 92-103 Łódź, ul. Brzezińska 5/15/B)

4. Measurement uncertainty, if it is specified, has been determined according to the recommendations presented in cocument ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence level and factor k = 2.

5. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of test with requirements/specification takes place, when the test results together with expanded uncertainty does not exceed the limit given in specification. The conformity statement's rules given by Client could be allowed.

Test Report date: 2024-09-13 Number of Test Report 's copies: 2

Test Report handed to:

1) "TOPTEXTIL" Sp. z o.o., Wadowice - 1 copy,

2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) - 1 copy.

Test Report prepared by:

Patrycja Bak

Person authorizing the Test Report

LABORATORIUM METROLOGII WŁÓKIENNICZEJ
I ELEKTROSZATYKI
Z-CA KIEKOWNIKA

mgr inż. Jerzy Andrysiak

Form 7.8.2 Issue 2 X-information delivered by Client



TEST REPORT NO. BL-ME 553.6 / 2024 / B

Parameter	Value	Remarks
The mean of bursting strength, kPa	1040 ± 30	PN-EN ISO 13938-1:2020-05 (hydraulic method) sample conditioned according to PN-EN ISO 139:2006 + A1:2012, temp. 20° C ± 2 °C, R.H: 65% ± 4%, burst device: PSI-BURST, test area: 50 cm², time at burst: (20±5) s, number of test specimens: 5.
The mean of height at burst, mm	15 ± 0	

Evaluation according to PN-EN 14465:2005 + A1:2007:

requirements level: A category: ≥ 600 kPa; B category: ≥ 400 kPa; C category: ≥ 200 kPa

Person authorizing the Test Report

LABORATORIUM METROLOGII WŁÓKIENNICZEJ

I ELEKTRISTATYKI

Z-CA KIFROWNIKA

mgr inż. Jerzy Andrysiak

The end of Test Report

Form 7.8.2 Issue 2 X-information delivered by Client





Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network - Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl





AB 164

TEST REPORT NO. BL-ME 553.7 / 2024 / B / A

- 1. Test ordered by: X "TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice
- 2. Name and description of tested material: the sample: X The upholstery product AGNES, declared raw material composition: 100% Polyester.
- 3. Date of receiving material for testing: 2024-08-23
- 4. Date of test performance: 2024-08-30
- 5. Samples taken by: x correct sample size in appropriate state for testing, taken by the Client and delivered with/without the Sampling Protocol
- 6. Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see: page 2/2

Test performed by: Olga Prokop, Nadia Karasiak

- 1. Test results refer only to the tested material.
- 2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.
- 3. Test Report presents test results included within accreditation field of testing.
- 4. Test results not included in accreditation scope, if occur, are marked with* in the test results table, at the parameter name.
- 5. Test Report consists of test results carried out in location 90-520 Łódź, ul. Gdańska 118 (G) / 92-103 Łódź, ul. Brzezińska 5/15 (B).
- 6. Measurement uncertainty, if it is specified, has been determined according to the recommendations presented in document ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence is the constitute of the cons and coverage factor k = 2.
- 7. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of test result with requirements of specification takes place, when the test results to see the conformity statement of test results with requirements. specification takes place, when the test results together with expanded uncertainty does not exceed the toleration in specification. The conformity statemen's rules given by Client could be allowed.

Test Report date: 2024-09-13 Number of Test Report 's copies: 2

Test Report handed to:

- 1) "TOPTEXTIL" Sp. z o.o., Wadowice 1 copy,
- 2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) 1 copy.

Test Report prepared by:

Patrycja Bąk

Person authorizing the Test Report:

LABORATORIUM METROLOGII WŁÓKIENNICZEJ I ELEKTROS DWNIKA

mgr inż. Jerzy Andrysiak

Form 7.8.1 Issue 2 X- information delivered by Client Page 1 of 2

Z-CA KIER

TEST REPORT NO. BL-ME 553.7 / 2024 / B / A

Value	Test method
	PN-EN ISO 4920:2013-02 climate for conditioning sample and testing according to PN-EN ISO 139:2006 + A1:2012, temp. 20° C ± 2 °C, R.H. 65% ± 4%,
4 – 5	water temperature: 20°C,
4 – 5	Assessment scale:
4	degree 5 - no sticking or wetting of the specimen face,
slight random sticking / no sticking or wetting of the specimen face.	degree 0 - complete wetting of the entire face of the specimen.
	4 - 5 4 - 5 4 slight random sticking / no sticking or wetting of the

Person authorizing the Test Report

LABORATORIUM METROLOGII WŁÓKIENNICZEJ
I ELEKTROSTATYKI
Z-CA KIEROWNIKA

The end of Test Report mgr inż. Jerzy Andrysiak



Laboratory of Textile Metrology and Electrostatics

Łukasiewicz Research Network - Lodz Institute of Technology,

90-570 Lodz, 19/27 Marii Skłodowskiej-Curie Str.,

Laboratory: 92-103 Lodz, 5/15 Brzezinska Str., phone 48 42 6163142 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone 48 42 2534419

e-mail: beata.witkowska@lit.lukasiewicz.gov.pl; jerzy.andrysiak@lit.lukasiewicz.gov.pl

TEST REPORT NO. BL-ME 553.8 / 2024 / B

- 1. Test ordered by: "TOPTEXTIL" Sp. z o.o., 29 Mickiewicza Street, 34-100 Wadowice
- 2. Name and description of tested material: the sample: The upholstery product AGNES, declared raw material composition: 100% Polyester.
- 3. Date of receiving material for testing: 2024-08-23
- 4. Date of test performance: 2024-09-06
- **5. Samples taken by:** Iimited sample size in appropriate state for testing, taken by the Client and delivered without the Sampling Protocol
- 6. Tests carried out according to: methods presenting in testing table

Results of Laboratory Tests

see page 2/2

Test performed by: Elżbieta Olczak

1. Test results refer only to the tested material.

2. Neither of the parts of this Test Report can be copied without written permission of the Head of the Laboratory; it can be copied only as a whole document.

3. Test Report consists of test results carried out in location 90-520 Łódź, ul. Gdańska 118 (G) / 92-103 Łódź, ul. Br. ezińska 5/15(B).

4. Measurement uncertainty, if it is specified, has been determined according to the recommendations presented in document ILAC-G17:01/2021. Presented values of uncertainty constitute expanded uncertainty at 95% confidence level and overlage factor k = 2.

5. Laboratory uses the requirements of ILAC-G8:09/2019. The conformity statement of test requirements/specification takes place, when the test results together with expanded uncertainty does not exceed the limit given in specification. The conformity statement's rules given by Client could be allowed.

Test Report date: 2024-09-13 Number of Test Report 's copies: 2

Test Report handed to:

1) "TOPTEXTIL" Sp. z o.o., Wadowice - 1 copy,

2) Laboratory of Textile Metrology and Electrostatics (location: 5/15 Brzezińska str.) - 1 copy.

Test Report prepared by:

Patrycja Bak

Person authorizing the Test Report

LABORATORIUM MATROLOGII WŁÓKIENNICZEJ
I ELEKTROSTATYKI
Z-CA KIEROWNIKA

mgr tnž. Jerzy Andrysiak

Form 7.8.2 Issue 2 X-information delivered by Client



TEST REPORT NO. BL-ME 553.8 / 2024 / B

Parameter	Result	Test method
Resistance to drawing out the threads for longitudinal direction, degree	4 – 5	PN-79/P-04664 climate for conditioning sample and testing according to PN-EN ISO 139:2006 + A1:2012, temp. 20° C ± 2 °C, RH: 65% ± 4%, device for testing resistance to drawing out the threads: Shirley ICI Mace snag tester, England, number of the template used for sewing: 2, number of the roller revolutions: 200,
Resistance to drawing out the threads for cross direction, degree	4	Assessment according to photographic standard: degree 5: very good resistance to drawing out the threads (without puffs), degree 4: good resistance to drawing out the threads, degree 3: sufficient resistance to drawing out the threads, degree 2: insufficient resistance to drawing out the threads, degree 1: very poor resistance to drawing out the threads.

Person authorizing the Test Report

LABORATORIUM METROLOGII WŁÓKIENNICZEJ
I ELEKTROSTATYKI
Z-CA KIEROWNIKA
mgr inż. Jerzy Andrysiak

_ The end of Test Report



Laboratory of Flammability Testing

Lukasiewicz Research Network – Lodz Institute of Technology, 90-570 Lodz, 19/27 Marii Sklodowskiej-Curie Str., phone +48 42 307 09 01 Laboratory: 90-520 Lodz, 118 Gdanska Str., phone +48 42 2534435 (436), e-mail: krzysztof.kostanek@lit.lukasiewicz.gov.pl





AB 029

TEST CERTIFICATE No 299 / BL - PW / 24

Test method:

PN-EN 1021-1:2014-12 Furniture. Assessment of the ignitability of upholstered furniture. Part 1: Ignition source smouldering cigarette.

Orderer*:

Toptextil Sp. z o.o. ul. Mickiewicza 29 34-100 Wadowice

Subject of testing*:

Upholstery composite:

- upholstery fabric named AGNES; composition: 100% Polyester,
- flame-retardant foam RF 30120

Testing sample with the correct size, in appropriate state for testing, supplied by the Orderer with its characteristic and without the Sampling Protocol.

Results of testing:

Standard	Test method	Result
PN-EN 1021-1:2014-12	Ignition source: smouldering cigarette	Neither progressive smouldering ignition nor flaming ignition occurred.

The above test results relate only to the ignitability of the combination of materials under the particular conditions of test; they are not intended as a means of assessing the full potential fire hazard of the materials in use.

Kosland

Krzysztof Kostanek Ph.D.

Sample received on:

26.08.2024

Test performed on:

17.09.2024

Test Certificate issued on:

18.09.2024

Test Certificate authorized by

dr inż. Krzysztof Kostanek

NOTES:

1. The Testing results refer only to the tested sample.

Test Certificate consists of 2 pages.

3. Test Certificate must not be reproduced in another way, than as a whole without a prior written consent of the Testing Laboratory.

 The Orderer using this Test Certificate is responsible for the conformity between the product and sample submitted for testing.

*Data provided by the Customer.

DETAILED TESTING RESULTS

Climate conditions: temperature (23 ± 2) °C; humidity (50 ± 5) %; time 24 h

Testing conditions: temperature 23 °C; humidity 53 %

Preparation of test samples:

the upholstery fabric, exposed to wetting in water and drying procedure, in accordance with Appendix D of the PN-EN 1021-1:2014-12 standard.

Upholstery composite characteristic:

upholstery composite:

- upholstery fabric named AGNES; composition: 100% Polyester,

- flame-retardant foam RF 30120.

Test method according to PN-EN 1021-1:2014-12

Criteria		Cigarette			Remarks					
		1	2	3	Kellidiks					
	Unsafe escalating combustion	NO	NO	-	Maximum cigarette					
	Test assembly consumed	NO	NO	-	smouldering time:					
Smouldering criteria	Smoulders to extremities	NO	NO	-						
	Smoulders through thickness	NO	NO	-	15 minutes 37 seconds					
	Smoulders more than 1 hour	NO	NO	-						
	In final examination, presence of active smouldering	NO	NO	-	Maximum upholstery composite destruction:					
Flaming criteria		NO	NO	-	horizontal [mm] vertical [mm]					
	Occurrence of flames				length 71	width	depth 8	length 69	width 10	depth 5

Result of testing: Neither progressive smouldering ignition nor flaming ignition occurred.

END OF THE TEST CERTIFICATE







AB 077

Łódź, 23rd September 2024

Laboratory of Chemical Instrumental Analysis

Łukasiewicz Research Network - Lodz Institute of Technology, 90-570 Lodz, 19/27 Marii Sklodowskiej-Curie Str., phone 48 42 307-09-01 Laboratory:

92-103 Lodz, 5/15 Brzezinska Str.

phone No +48 42 61-63-130 (128), fax +48 42 61-63-131 e-mail: agnieszka.lisiak-kucinska@lit.lukasiewicz.gov.pl,

gabriela.palucka@lit.lukasiewicz.gov.pl

L-481/2024

TEST CERTIFICATE No BL-AI 469/959/2024/A

1. Name and address of the principal X): Toptextil Sp. z o.o.

ul. Mickiewicza 29, 34-100 Wadowice

2. Subject of study X):

sample - furniture upholstery fabric AGNES, raw material

composition 100 % Polyester

3. Date of receiving sample for testing: 23.08.2024

4. Date of the test conducting:

26.08. - 27.08.2024

5. Sampling:

sample in a proper size, in a proper condition for tests, supplied by

the customer

RESULTS OF THE TESTS

Tested feature	Result of the test [degree]	Reference document	Test conditions	Level of requirements for categories according to PN-EN 14465:2005 + A1:2007			
Colour fastness to: - dry rubbing: 1) warp weft - wet rubbing: 1) warp weft	a/ 4-5 a/ 4-5	PN-EN ISO 105- X12:2016- 08	- time of acclimatisation: 4 h - temperature of the test: 23.1 °C - humidity of the test: 47.3 % - rubbing pick: Ø 16 ± 0.1 mm - push: 9 ± 0.2 N	A ≥ 4-5		≥ 3-4	
	a/ 4-5 a/ 4-5		- degree of moisturising of the rubbing fabric: 100 %	≥ 3-4	≥ 3	≥ 2-3	

¹⁾ Colour fastness according to "Grey scale", indicator "5" means – no change in colour in cotton rubbing fabric, indicator "1" means - big change in colour. a/ staining - the cotton rubbing fabric

1. Test results refer only to the tested material.

- 2. Neither of the parts of this test certificate can be copied without written permission of the Head of the Laboratory.
- 3. X) Data provided by the principal/customer.
- 4. Total number of pages of the test certificate: 1.

Test conducted by: Gabriela Pałucka, MSc Eng. Authorized by: Marta Łatwińska, PhD

Med

Number of copies of the test certificate: 3

The test certificate receive:

- Customer - 2 copies

- The ŁUKASIEWICZ Research Network - Lodz Institute of Technology - BL-AI - 1 copy

- THE END -







Laboratory of Chemical Instrumental Analysis

Łukasiewicz Research Network – Lodz Institute of Technology, 90-570 Lodz, 19/27 Marii Sklodowskiej-Curie Str., phone 48 42 307-09-01 Laboratory:

92-103 Lodz, 5/15 Brzezinska Str.

phone No +48 42 61-63-130 (128), fax +48 42 61-63-131 e-mail: agnieszka.lisiak-kucinska@lit.lukasiewicz.gov.pl,

gabriela.palucka@lit.lukasiewicz.gov.pl

Łódź, 23rd September 2024

L-481/2024

TEST CERTIFICATE No BL-AI 469/959/2024/A/I

1. Name and address of the principal X): Toptextil Sp. z o.o.

ul. Mickiewicza 29, 34-100 Wadowice

2. Subject of study X): sample - furniture upholstery fabric AGNES, raw material

composition 100 % Polyester

3. Date of receiving sample for testing: 23.08.2024

4. Date of the test conducting: 02.09. - 16.09.2024

5. Sampling: sample in a proper size, in a proper condition for tests, supplied by

the customer

RESULTS OF THE TESTS

Tested feature	Result of the test [degree]	Reference document	Test conditions	Level of requirements for categories according to PN-EN 14465:2005 + A1:2007			
	[ucgicc]			Α	В	С	
Colour fastness to: - artificial light 1)	a/ 4-5	PN-EN ISO 105- B02:2014-11 Method 2	- device: Xenotest Alpha + - light conditions: A1 - radiation measurement in the range 300-400 nm - sample rotation was not applied	≥ 6	≥ 5	≥ 4	

¹⁾ Colour fastness according to "Blue scale", indicator "8" means – no change in colour, indicator "1" means – big change in colour.

Remarks:

1. Test results refer only to the tested material.

- 2. Neither of the parts of this test certificate can be copied without written permission of the Head of the Laboratory.
- 3. X) Data provided by the principal/customer.
- 4. Total number of pages of the test certificate: 1.

Test conducted by:

Gabriela Pałucka, MSc Eng.

Authorized by: Marta Łatwińska PhD

Mon

Number of copies of the test certificate: 3

The test certificate receive:

- Customer - 2 copies

- The ŁUKASIEWICZ Research Network - Lodz Institute of Technology - BL-AI - 1 copy

- THE END -

a/ change in colour of the sample